


Aries W LED

Recessed LED luminaires IP54/20 – universal mounting into ceiling modules M600 and plaster ceilings



Material:

- body: a steel sheet finished by powder technology varnishing
- color: white RAL 9003
- diffuser: microprismatic optics

Degree of protection: IP54/20 – IP54 (frame to the body of the luminaire), IP20 body of the luminaire

Rated voltage: 230 V/50 Hz


Control gear: LED driver

Mounting: universal mounting into ceiling modules M600 and plaster ceilings


Accessories: holders are components of the luminaire

Application: operating theaters, hospitals, laboratories, precincts with high humidity and dustiness, precincts demanding high sanitary codes


Mounting hole in plaster ceiling



MOUNTING INTO PLASTER CEILING



MOUNTING INTO CEILING MODULE M600



Power* W	Code	Absorption W	Color temp. K	Ra	Hole cut out L' x B' (mm)	L x B x H (mm)	Kg
4x18	35-909/414/NW	44	3880	>80	572 x 565	595 x 595 x 112	4.5
4x18	35-909/414/TW	44	3880	>80	572 x 565	595 x 595 x 112	4.5

* Indicative power just for fluorescent fixtures comparison purpose
 N – LED driver
 T – LED driver dimmable DALI
 M – frosted acrylic, X – prismatic and Z – opaline diffuser on request